


YOKE TYPE TRACK ROLLERS

케이지형, mm치수, 내륜 분할형



NJ




NJ..

호칭번호 (Bearing No.)	주요치수 (Dimensions) mm			기본 동정격 하중 C N	기본 정정격 하중 Co N	피로 하중 한계 Pu N	정격회전 윤활 그리스 r min	오일 r min	무게 Kg
	d	D	B						
NU 204 EC	20	47	14	25,100	22,000	2,750	13,000	16,000	0.11
NJ 204 EC		47	14	25,100	22,000	2,750	13,000	16,000	0.11
NUP 204 EC		47	14	25,100	22,000	2,750	13,000	16,000	0.12
N 204 EC		47	14	25,100	22,000	2,750	13,000	16,000	0.11
NU 2204 EC		47	18	29,700	27,500	3,450	13,000	16,000	0.14
NJ 2204 EC		47	18	29,700	27,500	3,450	13,000	16,000	0.14
NU 304 EC		52	15	30,800	26,000	3,250	12,000	15,000	0.15
NJ 304 EC		52	15	20,800	26,000	3,250	12,000	15,000	0.15
NUP 304 EC		52	15	20,800	26,000	3,250	12,000	15,000	0.16
N 304 EC		52	15	20,800	26,000	3,250	12,000	15,000	0.15
NU 2304 EC		52	21	41,300	38,000	4,800	11,000	14,000	0.21
NJ 2304 EC		52	21	41,300	38,000	4,800	11,000	14,000	0.22
NUP 2304 EC		52	21	41,300	38,000	4,800	11,000	14,000	0.22
NU 1005 EC	25	47	12	14,200	13,200	1,400	15,000	18,000	0.084
NU 205 EC		52	15	28,600	27,000	3,350	11,000	14,000	0.13
NJ 205 EC		52	15	28,600	27,000	3,350	11,000	14,000	0.14
NUP 205 EC		52	15	28,600	27,000	3,350	11,000	14,000	0.14
N 205 EC		52	15	28,600	27,000	3,350	11,000	14,000	0.13
NU 2205 EC		52	18	34,100	34,000	4,250	11,000	14,000	0.16
NJ 2205 EC		52	18	34,100	34,000	4,250	11,000	14,000	0.17
NUP 2205 EC		52	18	34,100	34,000	4,250	11,000	14,000	0.17
NU 305 EC		62	17	40,200	36,500	4,550	9,500	12,000	0.24
NJ 305 EC		62	17	40,200	36,500	4,550	9,500	12,000	0.25
NUP 305 EC		62	17	40,200	36,500	4,550	9,500	12,000	0.25
N 305 EC		62	17	40,200	36,500	4,550	9,500	12,000	0.24
NU 2305 EC	30	62	24	56,100	55,000	6,950	9,000	11,000	0.35
NJ 2305 EC		62	24	56,100	55,000	6,950	9,000	11,000	0.36
NUP 2305 EC		62	24	56,100	55,000	6,950	9,000	11,000	0.38
NU 1006 EC		55	13	17,900	17,300	1,860	12,000	15,000	0.12
NU 206 EC	30	62	16	38,000	36,500	4,550	9,500	12,000	0.20
NJ 206 EC		62	16	38,000	36,500	4,550	9,500	12,000	0.21
NUP 206 EC		62	16	38,000	36,500	4,550	9,500	12,000	0.22


▶ 註 이 품목은 주문에 의하여 생산합니다.
These types are produced on customer's request.

YOKE TYPE TRACK ROLLERS


케이지형, mm치수, 내륜 분할형



NU..



NUP..



N..


호칭번호 (Bearing No.)	주요치수 (Dimensions) mm			기본 동정격 하중 C N	기본 정정격 하중 Co N	피로 하중 한계 Pu N	정격회전 윤활 그리스 r min	오일 r min	무게 Kg
	d	D	B						
N 206 EC	30	62	16	38,000	36,500	4,550	9,500	12,000	0.20
NU 2206 EC		62	20	48,400	49,000	6,100	9,500	12,000	0.26
NJ 2206 EC		62	20	48,400	49,000	6,100	9,500	12,000	0.27
NUP 2206 EC		62	20	48,400	49,000	6,100	9,500	12,000	0.27
N 2206 EC		62	20	48,400	49,000	6,100	9,500	12,000	0.26
NU 306 EC		72	19	51,200	48,000	6,200	9,000	11,000	0.36
NJ 306 EC		72	19	51,200	48,000	6,200	9,000	11,000	0.37
NUP 306 EC		72	19	51,200	48,000	6,200	9,000	11,000	0.38
N 306 EC		72	19	51,200	48,000	6,200	9,000	11,000	0.36
NU 2306 EC		72	27	73,700	75,000	9,650	8,000	9,500	0.53
NJ 2306 EC		72	27	73,700	75,000	9,650	8,000	9,500	0.54
NUP 2306 EC		72	27	73,700	75,000	9,650	8,000	9,500	0.55
NU 406 EC		90	23	60,500	53,000	6,800	7,500	9,000	0.75
NJ 406 EC		90	23	60,500	53,000	6,800	7,500	9,000	0.77
NU 1007 EC	35	62	14	35,800	38,000	4,550	10,000	13,000	0.16
NU 207 EC		72	17	48,400	48,000	6,100	8,500	10,000	0.30
NJ 207 EC		72	17	48,400	48,000	6,100	8,500	10,000	0.31
NUP 207 EC		72	17	48,400	48,000	6,100	8,500	10,000	0.31
N 207 EC		72	17	48,400	48,000	6,100	8,500	10,000	0.30
NU 2207 EC		72	23	59,400	63,000	8,150	8,500	10,000	0.40
NJ 2207 EC		72	23	59,400	63,000	8,150	8,500	10,000	0.41
NUP 2207 EC		72	23	59,400	63,000	8,150	8,500	10,000	0.42
N 2207 EC		72	23	59,400	63,000	8,150	8,500	10,000	0.40
NU 307 EC		80	21	64,400	63,000	8,150	8,000	9,500	0.48
NJ 307 EC		80	21	64,400	63,000	8,150	8,000	9,500	0.49
NUP 307 EC		80	21	64,400	63,000	8,150	8,000	9,500	0.51
N 307 EC		80	21	64,400	63,000	8,150	8,000	9,500	0.48
NU 2307 EC		80	31	91,300	98,000	12,700	7,000	8,500	0.72
NJ 2307 EC		80	31	91,300	98,000	12,700	7,000	8,500	0.73
NUP 2307 EC		80	31	91,300	98,000	12,700	7,000	8,500	0.75
NU 407 EC		100	25	76,500	69,500	9,000	6,700	8,000	1.00
NJ 407 EC		100	25	76,500	69,500	9,000	6,700	8,000	1.05
NUP 407 EC		100	25	76,500	69,500	9,000	6,700	8,000	1.05

YOKE TYPE TRACK ROLLERS

케이지형, mm치수, 내륜 분할형



NJ



NJ..

호칭번호 (Bearing No.)	주요치수 (Dimensions) mm			기본 동정격 하중 C N	기본 정정격 하중 Co N	피로 하중 한계 Pu N	정격회전 윤활 그리스 r min	오일 r min	무게 Kg
	d	D	B						
NU 1008	40	68	15	24,100	25,000	2,900	9,300	11,800	0.22
NU 208 EC		80	18	51,900	51,000	6,500	7,300	8,800	0.37
NJ 208 EC		80	18	51,900	51,000	6,500	7,300	8,800	0.38
NUP 208 EC		80	18	51,900	51,000	6,500	7,300	8,800	0.40
N 208 EC		80	18	51,900	51,000	6,500	7,300	8,800	0.37
NU 2208 EC		80	23	68,400	73,000	9,350	7,300	8,800	0.49
NJ 2208 EC		80	23	68,400	73,000	9,350	7,300	8,800	0.50
NUP 2208 EC		80	23	68,400	73,000	9,350	7,300	8,800	0.51
N 2208 EC		80	23	68,400	73,000	9,350	7,300	8,800	0.49
NU 308 EC		90	23	78,900	76,000	9,900	6,600	7,800	0.65
NJ 308 EC		90	23	78,900	76,000	9,900	6,600	7,800	0.67
NUP 308 EC		90	23	78,900	76,000	9,900	6,600	7,800	0.68
N 308 EC		90	23	78,900	76,000	9,900	6,600	7,800	0.64
NU 2308 EC		90	33	109,000	116,000	14,800	6,200	7,300	0.94
NJ 2308 EC		90	33	109,000	116,000	14,800	6,200	7,300	0.96
NUP 2308 EC		90	33	109,000	116,000	14,800	6,200	7,300	0.98
NU 408	45	110	27	93,800	87,000	11,300	5,900	6,900	1.30
NJ 408		110	27	93,800	87,000	11,300	5,900	6,900	1.30
NUP 408		110	27	93,800	87,000	11,300	5,900	6,900	1.35
NU 1009 EC		75	16	43,600	50,000	6,100	8,800	10,800	0.26
NU 209 EC		85	19	58,500	62,000	7,950	6,600	7,800	0.43
NJ 209 EC		85	19	58,500	62,000	7,950	6,600	7,800	0.44
NUP 209 EC		85	19	58,500	62,000	7,950	6,600	7,800	0.45
N 209 EC		85	19	58,500	62,000	7,950	6,600	7,800	0.43
NU 2209 EC		85	23	71,700	79,500	10,300	6,600	7,800	0.52
NJ 2209 EC		85	23	71,700	79,500	10,300	6,600	7,800	0.54
NUP 2209 EC		85	23	71,700	79,500	10,300	6,600	7,800	0.55
N 2209 EC		85	23	71,700	79,500	10,300	6,600	7,800	0.52
NU 309 EC		100	25	96,000	97,000	12,500	6,200	7,300	0.90
NJ 309 EC		100	25	96,000	97,000	12,500	6,200	7,300	0.92
NUP 309 EC		100	25	96,000	97,000	12,500	6,200	7,300	0.95
N 309 EC		100	25	96,000	97,000	12,500	6,200	7,300	0.88
NU 2309 EC		100	36	134,000	148,000	19,400	5,500	6,600	1.30
NJ 2309 EC		100	36	134,000	148,000	19,400	5,500	6,600	1.30
NUP 2309 EC		100	36	134,000	148,000	19,400	5,500	6,600	1.35


▶ 註 이 품목은 주문에 의하여 생산합니다.

These types are produced on customer's request.




YOKE TYPE TRACK ROLLERS


케이지형, mm치수, 내륜 분할형



NU..



NUP..



N..

호칭번호 (Bearing No.)	주요치수 (Dimensions) mm			기본 동정격 하중 C N	기본 정정격 하중 Co N	피로 하중 한계 Pu N	정격회전 윤활 그리스 r min	오일 r min	무게 Kg
	d	D	B						
NU 409	45	120	29	103,000	99,000	13,000	5,500	6,600	1.65
NJ 409		120	29	103,000	99,000	13,000	5,500	6,600	1.65
NUP 409		120	29	103,000	99,000	13,000	5,500	6,600	1.70
NU 1010	50	80	16	29,800	28,800	3,900	8,200	9,700	0.31
NU 210 EC		90	20	62,400	60,400	8,500	6,100	7,300	0.48
NJ 210 EC		90	20	62,400	60,400	8,500	6,100	7,300	0.49
NUP 210 EC		90	20	62,400	60,400	8,500	6,100	7,300	0.51
N 210 EC		90	20	62,400	60,400	8,500	6,100	7,300	0.48
NU 2210 EC		90	23	76,100	74,100	11,100	6,100	7,300	0.56
NJ 2210 EC		90	23	76,100	74,100	11,100	6,100	7,300	0.58
NUP 2210 EC		90	23	76,100	74,100	11,100	6,100	7,300	0.59
NU 310 EC		110	27	107,000	104,000	14,500	4,800	5,800	1.15
NJ 310 EC		110	27	107,000	104,000	14,500	4,800	5,800	1.15
NUP 310 EC		110	27	107,000	104,000	14,500	4,800	5,800	1.20
N 310 EC		110	27	107,000	104,000	14,500	4,800	5,800	1.15
NU 2310 EC		110	40	156,000	151,000	23,800	4,800	5,800	1.70
NJ 2310 EC		110	40	156,000	151,000	23,800	4,800	5,800	1.75
NUP 2310 EC		110	40	156,000	151,000	23,800	4,800	5,800	1.80
NU 410	55	130	31	126,000	122,000	16,100	4,800	5,800	2.00
NJ 410		130	31	126,000	122,000	16,100	4,800	5,800	2.05
NU 1011 EC		90	18	55,200	53,200	8,100	6,800	8,200	0.40
NU 211 EC		100	21	81,200	79,200	11,800	5,800	6,800	0.66
NJ 211 EC		100	21	81,200	79,200	11,800	5,800	6,800	0.67
NUP 211 EC		100	21	81,200	79,200	11,800	5,800	6,800	0.69
N 211 EC		100	21	81,200	79,200	11,800	5,800	6,800	0.66
NU 2211 EC		100	25	96,000	93,000	14,800	5,800	6,800	0.79
NJ 2211 EC		100	25	96,000	93,000	14,800	5,800	6,800	0.81
NUP 2211 EC		100	25	96,000	93,000	14,800	5,800	6,800	0.82
N 2211 EC		100	25	96,000	93,000	14,800	5,800	6,800	0.79
NU 311 EC		120	29	134,000	130,000	18,000	4,700	5,400	1.45
NJ 311 EC		120	29	134,000	130,000	18,000	4,700	5,400	1.50
NUP 311 EC		120	29	134,000	130,000	18,000	4,700	5,400	1.55
N 311 EC		120	29	134,000	130,000	18,000	4,700	5,400	1.45